



> PROGRESS 4000 C/CR


Y TECHNICAL SPECIFICATIONS

MAIN FEATURES	
Construction	Frame: Galvanised Steel; Double Coated Painting
	Housing: Stainless Steel
	Panels: Aluminium; Double Coated Painting
Admission	Suction: High Performance Compact Gear Pump RTF Pressure: Submersible Pump
Meter	Positive Displacement Meter PTF, with Pulse Generator and Integrated Electronic Calibration
Filters	Reusable Stainless Steel, 100 µm mesh
Motor	Eexd, Single/ Three-Phase, 50/60 Hz w/ Internal Thermal Protection
Display	Larger and brighter display, providing crisp digits under any lighting conditions. 7 digits for sale (31,75mm), 7 digits for volume and 6 digits for unit price
Calculator	eMC ² Electronic Modular Calculator, 2nd Generation
Hose	Ø16, 19, 21, 25 mm (EN1360/EN13483) (VR2 Approved)
Nozzle	Automatic ZVA2 or Others
Fuel Types	Petrol Diesel Biodiesel HVO Ethanol (E85) (1) AdBlue wo/heating (1)
Flow Rates	10, 40, 80, 130 L/min Up to 4 Products / 8 Hoses
Certificates	ATEX; MID
(1) Only available with pressure pumps.	

OPTIONS		
- Speed Selector (40/80 L/min)	- Low Temperature Kit	- TAGs
- Electro-mechanical Totalizers	- Satellite Ready (1 per side)	- Multimedia
- Volume Preset	- Breakaway Couplings	- Partial Retraction System (only available in CR version)
- Amount Preset	- Custom Nozzles and Sleeves	- Lifting Solution (for easier handling)
- Circuit Breaker	- Flexible Riser Connection	- Vapour Recovery Stage II
- Electronics Head Heating	- Stainless Steel AISI304 Image Panel	- Vapour Recovery w/Monitoring
- Automatic Temperature Compensation	- Stainless Steel AISI316 Housing	- OPT*
- Single/ Three-Phase Motor	- Foundation Frame	(*) Integration with wide range of terminals.
- Voice Module	- Custom Corporate Image	

COMMUNICATION PROTOCOLS/INTERFACES			
- Petrotec	- IFSF IP	- HDX 2WI (Gilbarco)	
- EPS5	- IFSF Lon v1.xx (Converter)	- DART	
- Pulse Interface	- IFSF Lon v2.xx	- Dunclare	
- ER3	- HDX 485 (Gilbarco)	- Pumalan	

✓ AVAILABLE CONFIGURATIONS



© 2023 Petrotec Group | All rights reserved. Petrotec, the Petrotec logo, Progress and combinations thereof are registered trademarks of Petrotec Group. Other names are informational and may be trademarks of their respective owners. Petrotec is continuously improving its products. Changes on the specifications may occur without prior notice. The imagery used may be indicative of style only. The available brochures are a guide and do not constitute an offer or contract.









