



## DISPENSING SOLUTIONS > PROGRESS 3000


## ✓ TECHNICAL SPECIFICATIONS

MAIN FEATURES		
Construction	Frame: Galvanised Steel; Double Coated Painting	
	Housing: Stainless Steel	
	Panels: Aluminium; Double Coated Painting	
Admission	Suction: High Performance Compact Gear Pump RTF Pressure: Submersible Pump	
Meter	Positive Displacement Meter PTF, with Pulse Generator and Integrated Electronic Calibration	
Filters	Reusable Stainless Steel, 100 µm mesh	
Motor	Eexd, Single/ Three-Phase, 50/60 Hz w/ Internal Thermal Protection	
Display	Larger and brighter display, providing crisp digits under any lighting conditions. 7 digits for sale (31,75mm), 7 digits for volume and 6 digits for unit price	
Calculator	eMC <sup>2</sup> Electronic Modular Calculator, 2nd Generation	
Hose	Ø16, 19, 21, 25 mm (EN1360/EN13483) (VR2 Approved)	
Nozzle	Automatic ZVA2 or Others	
Fuel Types	Petrol   Diesel   Biodiesel   HVO   Ethanol (E85) (1)   AdBlue wo/heating (1)	
Flow Rates	10, 40, 80, 130 L/min   Up to 2 Products/4 Hoses	
Certificates	ATEX; MID	
(1) Only available with pressure version.		

## OPTIONS - Speed Selector (40/80 L/min) - Single/ Three-Phase Motor - Stainless Steel AISI304 Image Panel - Stainless Steel AISI316 Housing - Electro-mechanical Totalizers - Voice Module - Volume Preset - Low Temperature Kit - Foundation Frame - Amount Preset - Satellite Ready (1 per side) - Custom Corporate Image - Circuit Breaker - Breakaway Couplings - TAGs - Electronics Head Heating - Custom Nozzles and Sleeves - Vapour Recovery Stage II - Automatic Temperature Compensation - Flexible Riser Connection - Vapour Recovery w/Monitoring

COMMUNICATION PROTOCOLS/INTERFACES		
- Petrotec	- IFSF IP	- HDX 2WI (Gilbarco)
- EPS5	- IFSF Lon v1.xx (Converter)	- DART
- Pulse Interface	- IFSF Lon v2.xx	- Dunclare
- ER3	- HDX 485 (Gilbarco)	- Pumalan

## ✓ AVAILABLE CONFIGURATIONS



© 2023 Petrotec Group | All rights reserved. Petrotec, the Petrotec logo, Progress and combinations thereof are registered trademarks of Petrotec Group. Other names are informational and may be trademarks of their respective owners. Petrotec is continuously improving its products. Changes on the specifications may occur without prior notice. The imagery used may be indicative of style only. The available brochures are a guide and do not constitute an offer or contract.









